Contents

The Journal of Clinical Investigation
July 1989, Volume 84, Number 1

Perspectives

Interactions between autoimmunity and molecular and cell biology. Bridges between clinical and basic sciences. *E. M. Tan* 1

Regular Articles

Isolation and characterization of a membrane protein from normal human erythrocytes that inhibits reactive lysis of the erythrocytes of paroxysmal nocturnal hemoglobinuria. *M. H. Holguin, L. R. Fredrick, N. J. Bernshaw, L. A. Wilcox, and C. J. Parker* 7

Thrombin is an important mediator of platelet aggregation in stenosed canine coronary arteries with endothelial injury. *J. F. Eidt, P. Allison, S. Noble, J. Ashton, P. Golino, J. McNatt, L. M. Buja, and J. T. Willerson* 18

Human neutrophils contain and bind high molecular weight kininogen. *E. J. Gustafson, A. H. Schmaier, Y. T. Wachtfogel, N. Kaufman, U. Kucich, and R. W. Colman* 28

Inhibition of endotoxin-induced bacterial translocation in mice. *E. A. Deitch, L. Ma, W. J. Ma, M. B. Grisham, D. N. Granger, R. D. Specian, and R. D. Berg* 36

Stimulation of human prostatic carcinoma cell growth by factors present in human bone marrow. *M. Chackal-Roy, C. Niemeyer, M. Moore, and B. R. Zetter* 43

CD3-negative lymphoproliferative disease of granular lymphocytes containing Epstein-Barr viral DNA. *K. Kawa-Ha, S. Ishihara, T. Ninomiya, K. Yumura-Yagi, J. Hara, F. Murayama, A. Tawa, and K. Hirai* 51

A monoclonal antibody to von Willebrand factor (vWF) inhibits Factor VIII binding. Localization of its antigenic determinant to a nonadecapeptide at the amino terminus of the mature vWF polypeptide. *W. F. Bahou, D. Ginsburg, R. Sikkink, R. Litwiller, and D. N. Fass* 56

Coordinate regulation of glucose transporter function, number, and gene expression by insulin and sulfonylureas in L6 rat skeletal muscle cells. *P. H. Wang, D. Moller, J. S. Flier, R. C. Nayak, and R. J. Smith* 62

Increased sulfation of glycoconjugates by cultured nasal epithelial cells from patients with cystic fibrosis. *P.-W. Cheng, T. F. Boat, K. Cranfill, J. R. Yankaskas, and R. C. Boucher* 68

Incorporation of intravenously injected albumin, immunoglobulin G, and fibrinogen in guinea pig megakaryocyte granules. *P. J. Handagama, M. A. Shuman, and D. F. Bainton* 73

Angiotensin II stimulates early proximal bicarbonate absorption in the rat by decreasing cyclic adenosine monophosphate. *F.-Y. Liu and M. G. Cogan* 83

GMP-140, a platelet α-granule membrane protein, is also synthesized by vascular endothelial cells and is localized in Weibel-Palade bodies. *R. P. McEver, J. H. Beckstead, K. L. Moore, L. Marshall-Carlson, and D. F. Bainton* 92

Secretory pancreatic stone protein messenger RNA. Nucleotide sequence and expression in chronic calcifying pancreatitis. *D. Giorgi, J.-P. Bernard, S. Rouquier, J. Iovanna, H. Sarles, and J.-C. Dagorn* 100

Complement-mediated phagocytosis of herpes simplex virus by granulocytes. Binding or ingestion. *J. A. G. Van Strijp, K. P. M. Van Kessel, M. E. van der Tol, and J. Verhoef* 107

Three point mutations in the Factor IX genes of five hemophilia B patients. Identification strategy using localization by altered epitopes in their hemophilic proteins. *S.-H. Chen, A. R. Thompson, M. Zhang, and C. R. Scott* 113

Mechanisms by which saturated triacylglycerols elevate the plasma low density lipoprotein–cholesterol concentration in hamsters. Differential effects of fatty acid chain length. *L. A Woollett, D. K. Spady, and J. M. Dietschy* 119

Monoclonal antibody inhibition of cholesteryl ester transfer protein activity in the rabbit. Effects on lipoprotein composition and high density lipoprotein cholesteryl ester metabolism. *M. E. Whitlock, T. L. Swenson, R. Ramakrishnan, M. T. Leonard, Y. L. Marcel, R. W. Milne, and A. R. Tall* 129

Interferon $\beta 2$/interleukin 6 modulates synthesis of α_1-antitrypsin in human mononuclear phagocytes and in human hepatoma cells. *D. H. Perlmutter, L. T. May, and P. B. Sehgal* 138

Chronic blockade of endogenous atrial natriuretic polypeptide (ANP) by monoclonal antibody against ANP accelerates the development of hypertension in spontaneously hypertensive and deoxycorticosterone acetate-salt–hypertensive rats. *H. Itoh, K. Nakao, M. Mukoyama, T. Yamada, K. Hosoda, G. Shirakami, N. Morii, A. Sugawara, Y. Saito, S. Shiono, H. Arai, I. Yoshida, and H. Imura* 145

Exercise intolerance, lactic acidosis, and abnormal cardiopulmonary regulation in exercise associated with adult skeletal muscle cytochrome *c* oxidase deficiency. *R. G. Haller, S. F. Lewis, R. W. Estabrook, S. DiMauro, S. Servidei, and D. W. Foster* 155

Anti-KJ: a new antibody associated with the syndrome of polymyositis and interstitial lung disease. *I. N. Targoff, F. C. Arnett, L. Berman, C. O'Brien, and M. Reichlin* . . 162

Role of primary and secondary bile acids as feedback inhibitors of bile acid synthesis in the rat in vivo. *E. F. Stange, J. Scheibner, and H. Ditschuneit* 173

Local abnormalities of coagulation and fibrinolytic pathways that promote alveolar fibrin deposition in the lungs of baboons with diffuse alveolar damage. *S. Idell, J. Peters, K. K. James, D. S. Fair, and J. J. Coalson* 181

Insertion of the v-Ha-*ras* oncogene induces differentiation of calcitonin-producing human small cell lung cancer. *M. Mabry, T. Nakagawa, S. Baylin, O. Petitengill, G. Sorenson, and B. Nelkin* 194

Circumvention of defective neutral amino acid transport in Hartnup disease using tryptophan ethyl ester. *A. J. Jonas and I. J. Butler* 200

Glucose and free fatty acid metabolism in non–insulin-dependent diabetes mellitus. Evidence for multiple sites of insulin resistance. *L. C. Groop, R. C. Bonadonna, S. DelPrato, K. Ratheiser, K. Zyck, E. Ferrannini, and R. A. DeFronzo* 205

Identification of antigens of *Mycobacterium tuberculosis* using human monoclonal antibodies. *R. S. Wallis, S. L. M. Alde, D. V. Havlir, M. H. Amir-Tahmasseb, T. M. Daniel, and J. J. Ellner* 214

Thromboxane-mediated hypertension and vascular leakage evoked by low doses of *Escherichia coli* hemolysin in rabbit lungs. *W. Seeger, H. Walter, N. Suttorp, M. Muhly, and S. Bhakdi* 220

Interleukin-1-induced anorexia in the rat. Influence of prostaglandins. *M. K. Hellerstein, S. N. Meydani, M. Meydani, K. Wu, and C. A. Dinarello* 228

Production of lymphotoxin by isolated human tonsillar B lymphocytes and B lymphocyte cell lines. *S.-S. J. Sung, L. K. L. Jung, J. A. Walters, E. W. B. Jeffes III, G. A. Granger, and S. M. Fu* 236

Decreased bioactivity of the guanine nucleotide-binding protein that stimulates adenylate cyclase in hearts from cardiomyopathic Syrian hamsters. *P. D. Kessler, A. E. Cates, C. Van Dop, and A. M. Feldman* 244

Type 1 neurofibromatosis: selective expression of extracellular matrix genes by Schwann cells, perineurial cells, and fibroblasts in mixed cultures. *S. Jaakkola, J. Peltonen, V. Riccardi, M.-L. Chu, and J. Uitto* 253

Elevated high density lipoprotein cholesterol levels correlate with decreased apolipoprotein A-I and A-II fractional catabolic rate in women. *E. A. Brinton, S. Eisenberg, and J. L. Breslow* 262

Biochemical and immunological heterogeneity of the Ro ribonucleoprotein particles. Analysis with sera specific for the Ro^{hY5} particle. *G. Boire and J. Craft* 270

Anti–peripheral nerve myelin antibodies in Guillain-Barre syndrome bind a neutral glycolipid of peripheral myelin and cross-react with Forssman antigen. *C. L. Koski, D. K. H. Chou, and F. B. Jungalwala* 280

Complete reversibility of physiological coronary vascular abnormalities in hypertrophied hearts produced by pressure overload in the rat. *S. Isoyama, N. Ito, M. Kuroha, and T. Takishima* 288

Fibrinogen Stony Brook, a heterozygous Aα16Arg → Cys dysfibrinogenemia. Evaluation of diminished platelet aggregation support and of enhanced inhibition of fibrin assembly. *D. K. Galanakis, A. Henschen, E. I. B. Peerschke, and M. Kehl* 295

Effect of feeding and obesity on lipoprotein lipase activity, immunoreactive protein, and messenger RNA levels in human adipose tissue. *J. M. Ong and P. A. Kern* 305

Bicarbonate-dependent and -independent intracellular pH regulatory mechanisms in rat hepatocytes. Evidence for Na^+-HCO_3^- cotransport. *D. Gleeson, N. D. Smith, and J. L. Boyer* 312

Identification and characterization of an endoflagellar antigen of *Borrelia burgdorferi*. *J. L. Coleman and J. L. Benach* 322

Rapid Publications

Expression of diverse Na^+ channel messenger RNAs in rat myocardium. Evidence for a cardiac-specific Na^+ channel. *M. N. Sills, Y. C. Xu, E. Baracchini, R. H. Goodman, S. S. Cooperman, G. Mandel, and K. R. Chien* 331

Acetaldehyde substoichiometrically inhibits bovine neurotubulin polymerization. *S. L. Smith, R. B. Jennett, M. F. Sorrell, and D. J. Tuma* 337

Molecular basis of hypoxanthine-guanine phosphoribosyltransferase deficiency in ten subjects determined by direct sequencing of amplified transcripts. *B. L. Davidson, S. A. Tarlé, T. D. Palella, and W. N. Kelley* 342

Expression of multiple Na^+,K^+-adenosine triphosphatase isoform genes in human hematopoietic cells. Behavior of the novel A3 isoform during induced maturation of HL60 cells. *M. Gilmore-Hebert, J. W. Schneider, A. L. Greene, N. Berliner, C. A. Stolle, K. Lomax, R. W. Mercer, and E. J. Benz, Jr.* 347

Guanine nucleotide-binding protein, α^*_{i-3}, directly activates a cation channel in rat renal inner medullary collecting duct cells. *D. B. Light, D. A. Ausiello, and B. A. Stanton* . . . 352

CHILD syndrome. Phenotypic dichotomy in eicosanoid metabolism and proliferative rates among cultured dermal fibroblasts. *M. E. Goldyne and M. L. Williams* 357

Active proton secretion and potassium absorption in the rabbit outer medullary collecting duct. Functional evidence for proton-potassium–activated adenosine triphosphatase. *C. S. Wingo* 361

Synthesis and expression of the fibroblast fibronectin receptor in human monocytes. *D. L. Brown, D. R. Phillips, C. H. Damsky, and I. F. Charo* 366

July Author Index 371

Contents

The Journal of Clinical Investigation
August 1989, Volume 84, Number 2

Perspectives

Genetic basis of lipoprotein disorders. *J. L. Breslow* . . . 373

Regular Articles

Induction of preadipocyte differentiation by mature fat cells in the rat. *G. Shillabeer, J. M. Forden, and D. C. W. Lau* . . . 381

Elevation of plasma epinephrine concentrations inhibits proteolysis and leucine oxidation in man via β-adrenergic mechanisms. *M. E. Kraenzlin, U. Keller, A. Keller, A. Thélin, M. J. Arnaud, and W. Stauffacher* . . . 388

Generation of recombinant, enzymatically active human thyroid peroxidase and its recognition by antibodies in the sera of patients with Hashimoto's thyroiditis. *K. D. Kaufman, B. Rapoport, P. Seto, G. D. Chazenbalk, and R. P. Magnusson* . . . 394

Differential regulation of two glucose transporters in adipose cells from diabetic and insulin-treated diabetic rats. *B. B. Kahn, M. J. Charron, H. F. Lodish, S. W. Cushman, and J. S. Flier* . . . 404

Binding and internalization of somatostatin, insulin, and glucagon by cultured rat islet cells. *M. Amherdt, Y. C. Patel, and L. Orci* . . . 412

Vasopressin-mediated forearm vasodilation in normal humans. Evidence for a vascular vasopressin V2 receptor. *A. T. Hirsch, V. J. Dzau, J. A. Majzoub, and M. A. Creager* . . . 418

Biphasic forearm vascular responses to intraarterial arginine vasopressin. *S. Suzuki, A. Takeshita, T. Imaizumi, Y. Hirooka, M. Yoshida, S. Ando, and M. Nakamura* . . . 427

Mediation of fibrin-induced release of von Willebrand factor from cultured endothelial cells by the fibrin β chain. *J. A. Ribes, F. Ni, D. D. Wagner, and C. W. Francis* . . . 435

Proteolytic inactivation of plasma $C\bar{1}$ inhibitor in sepsis. *J. H. Nuijens, A. J. M. Eerenberg-Belmer, C. C. M. Huijbregts, W. O. Schreuder, R. J. F. Felt-Bersma, J. J. Abbink, L. G. Thijs, and C. E. Hack* . . . 443

Participation of the cytokines interleukin 6, tumor necrosis factor-alpha, and interleukin 1-beta secreted by acute myelogenous leukemia blasts in autocrine and paracrine leukemia growth control. *W. Oster, N. A. Cicco, H. Klein, T. Hirano, T. Kishimoto, A. Lindemann, R. H. Mertelsmann, and F. Herrmann* . . . 451

Mechanisms underlying regional differences in lipolysis in human adipose tissue. *H. Wahrenberg, F. Lönnqvist, and P. Arner* . . . 458

Activation of monocytes and platelets by monoclonal antibodies or malaria-infected erythrocytes binding to the CD36 surface receptor in vitro. *C. F. Ockenhouse, C. Magowan, and J. D. Chulay* . . . 468

Hepatobiliary transport of glutathione and glutathione conjugate in rats with hereditary hyperbilirubinemia. *R. P. J. Oude Elferink, R. Ottenhoff, W. Liefting, J. de Haan, and P. L. M. Jansen* . . . 476

Characterization and cytoskeletal association of a major cell surface glycoprotein, GP 140, in human neutrophils. *S. J. Suchard and L. A. Boxer* . . . 484

Relaxation of rat vascular muscle by peripheral benzodiazepine modulators. *P. Erne, M. Chiesi, S. Longoni, J. Fulbright, and K. Hermsmeyer* . . . 493

Finnish type of low density lipoprotein receptor gene mutation (FH-Helsinki) deletes exons encoding the carboxy-terminal part of the receptor and creates an internalization-defective phenotype. *K. Aalto-Setälä, E. Helve, P. T. Kovanen, and K. Kontula* . . . 499

T cell receptor gamma and delta rearrangements in hematologic malignancies. Relationship to lymphoid differentiation. *F. Griesinger, J. M. Greenberg, and J. H. Kersey* . . . 506

Treadmill exercise promotes cyclic alterations in coronary blood flow in dogs with coronary artery stenoses and endothelial injury. *J. F. Eidt, J. Ashton, P. Golino, J. McNatt, L. M. Buja, and J. T. Willerson* . . . 517

Dietary fish oil stimulates hepatic low density lipoprotein transport in the rat. *M. A. Ventura, L. A. Woollett, and D. K. Spady* . . . 528

Membrane cofactor protein of complement is present on human fibroblast, epithelial, and endothelial cells. *T. McNearney, L. Ballard, T. Seya, and J. P. Atkinson* . . . 538

Glycoprotein IV mediates thrombospondin-dependent platelet–monocyte and platelet–U937 cell adhesion. *R. L. Silverstein, A. S. Asch, and R. L. Nachman* . . . 546

Interaction of human defensins with *Escherichia coli*. Mechanism of bactericidal activity. *R. I. Lehrer, A. Barton, K. A. Daher, S. S. L. Harwig, T. Ganz, and M. E. Selsted* . . . 553

Role of antigen selectivity in autoimmune responses to the Ku (p70/p80) antigen. *W. H. Reeves, Z. M. Sthoeger, and R. G. Lahita* . . . 562

Lung fluid balance in lambs before and after premature birth. *R. D. Bland, D. P. Carlton, R. G. Scheerer, J. J. Cummings, and D. L. Chapman* . . . 568

Motor unit regulation of mammalian pharyngeal dilator muscle activity. *E. van Lunteren and T. E. Dick* . . . 577

Recombinant plasminogen activator inhibitor-1 reverses the bleeding tendency associated with the combined administration of tissue-type plasminogen activator and aspirin in rabbits. *D. E. Vaughan, P. J. Declerck, M. De Mol, and D. Collen* . . . 586

Reflex increase in blood pressure during the intracoronary administration of adenosine in man. *D. A. Cox, J. A. Vita, C. B. Treasure, R. D. Fish, A. P. Selwyn, and P. Ganz* . . . 592

Decay-accelerating factor is expressed on vascular smooth muscle cells in human atherosclerotic lesions. *P. S. Seifert and G. K. Hansson* . . . 597

Pulmonary alveolar macrophages from patients with active sarcoidosis express type IV collagenolytic proteinase. An enzymatic mechanism for influx of mononuclear phagocytes at sites of disease activity. *C. Agostini, S. Garbisa, L. Trentin, R. Zambello, G. Fastelli, M. Onisto, A. Cipriani, G. Festi, D. Casara, and G. Semenzato* . . . 605

HLA gene amplification and hybridization analysis of polymorphism. HLA matching for bone marrow transplantation of a patient with HLA-deficient severe combined immunodeficiency syndrome. *L. A. Baxter-Lowe, J. B. Hunter, J. T. Casper, and J. Gorski* . . 613

Regulation by fasting of rat insulin-like growth factor I and its receptor. Effects on gene expression and binding. *W. L. Lowe, Jr., M. Adamo, H. Werner, C. T. Roberts, Jr., and D. LeRoith* 619

Acquired congenital heart block. Pattern of maternal antibody response to biochemically defined antigens of the SSA/Ro-SSB/La system in neonatal lupus. *J. P. Buyon, E. Ben-Chetrit, S. Karp, R. A. S. Roubey, L. Pompeo, W. H. Reeves, E. M. Tan, and R. Winchester* 627

Endothelin-induced increases in vascular smooth muscle Ca^{2+} do not depend on dihydropyridine-sensitive Ca^{2+} channels. *T. Mitsuhashi, R. C. Morris, Jr., and H. E. Ives* 635

Growth factors in wound healing. Single and synergistic effects on partial thickness porcine skin wounds. *S. E. Lynch, R. B. Colvin, and H. N. Antoniades* 640

Interaction between plasminogen activator inhibitor type 1 (PAI-1) bound to fibrin and either tissue-type plasminogen activator (t-PA) or urokinase-type plasminogen activator (u-PA). Binding of t-PA/PAI-1 complexes to fibrin mediated by both the finger and the kringle-2 domain of t-PA. *O. F. Wagner, C. de Vries, C. Hohmann, H. Veerman, and H. Pannekoek* 647

Evidence for a dominant gene that suppresses hypercholesterolemia in a family with defective low density lipoprotein receptors. *H. H. Hobbs, E. Leitersdorf, C. C. Leffert, D. R. Cryer, M. S. Brown, and J. L. Goldstein* 656

The erythrocyte as instigator of inflammation. Generation of amidated C3 by erythrocyte adenosine deaminase. *M. K. Hostetter and G. M. Johnson* 665

Glucagon gene transcription is negatively regulated by insulin in a hamster islet cell line. *J. Philippe* 672

Evidence for metalloproteinase and metalloproteinase inhibitor imbalance in human osteoarthritic cartilage. *D. D. Dean, J. Martel-Pelletier, J.-P. Pelletier, D. S. Howell, and J. F. Woessner, Jr.* 678

Human osteoblasts in vitro secrete tissue inhibitor of metalloproteinases and gelantinase but not interstitial collagenase as major cellular products. *L. Rifas, L. R. Halstead, W. A. Peck, L. V. Avioli, and H. G. Welgus* . . 686

Local abnormalities in coagulation and fibrinolytic pathways predispose to alveolar fibrin deposition in the adult respiratory distress syndrome. *S. Idell, K. K. James, E. G. Levin, B. S. Schwartz, N. Manchanda, R. J. Maunder, T. R. Martin, J. McLarty, and D. S. Fair* . . . 695

Rapid Publications

A highly informative probe for two polymorphic Vh gene regions that contain one or more autoantibody-associated Vh genes. *P. P. Chen, K. A. Siminovitch, N. J. Olsen, R. A. Erger, and D. A. Carson* 706

Effects of hypoglycemia and prolonged fasting on insulin and glucagon gene expression. Studies with in situ hybridization. *L. Chen, I. Komiya, L. Inman, J. O'Neil, M. Appel, T. Alam, and R. H. Unger* 711

Complementary DNA for the folate binding protein correctly predicts anchoring to the membrane by glycosyl-phosphatidylinositol. *S. W. Lacey, J. M. Sanders, K. G. Rothberg, R. G. W. Anderson, and B. A. Kamen* 715

August Author Index 721

Contents

The Journal of Clinical Investigation
September 1989, Volume 84, Number 3

Perspectives

Perverted priorities. The physician/scientist as spokesman and salesman for biomedical research. Presidential address to the American Society for Clinical Investigation, Washington, DC, 29 April 1989. *C. R. Kahn* 723

Regular Articles

The noncalcemic analogue of vitamin D, 22-oxacalcitriol, suppresses parathyroid hormone synthesis and secretion. *A. J. Brown, C. R. Ritter, J. L. Finch, J. Morrissey, K. J. Martin, E. Murayama, Y. Nishii, and E. Slatopolsky* . . 728

Production of tumor necrosis factor α and interleukin 1β by monocytic cells infected with human immunodeficiency virus. *J.-M. Molina, D. T. Scadden, R. Byrn, C. A. Dinarello, and J. E. Groopman* 733

Endotoxin induction of tumor necrosis factor is enhanced by acid-labile interferon-α in acquired immunodeficiency syndrome. *A. S. Lau and J. F. Livesey* 738

Activation of clones producing self-reactive antibodies by foreign antigen and antiidiotype antibody carrying the internal image of the antigen. *N. C. Bailey, V. Fidanza, R. Mayer, G. Mazza, M. Fougereau, and C. Bona* 744

Human platelets modulate edema formation in isolated rabbit lungs. *J. E. Heffner, J. A. Cook, and P. V. Halushka* 757

A human 88-kD membrane glycoprotein (CD36) functions in vitro as a receptor for a cytoadherence ligand on *Plasmodium falciparum*-infected erythrocytes. *J. W. Barnwell, A. S. Asch, R. L. Nachman, M. Yamaya, M. Aikawa, and P. Ingravallo* 765

Extracellular protons acidify osteoclasts, reduce cytosolic calcium, and promote expression of cell-matrix attachment structures. *A. Teti, H. C. Blair, P. Schlesinger, M. Grano, A. Zambonin-Zallone, A. J. Kahn, S. L. Teitelbaum, and K. A. Hruska* 773

Recombinant human enkephalinase (neutral endopeptidase) prevents cough induced by tachykinins in awake guinea pigs. *H. Kohrogi, J. A. Nadel, B. Malfroy, C. Gorman, R. Bridenbaugh, J. S. Patton, and D. B. Borson* 781

Hemopoietic origin of Factor XIII A subunits in platelets, monocytes, and plasma. Evidence from bone marrow transplantation studies. *M.-C. Poon, J. A. Russell, S. Low, G. D. Sinclair, A. R. Jones, W. Blahey, B. A. Ruether, and D. I. Hoar* 787

Role of catalytic and lysine-binding sites in plasmin-induced neutrophil adherence to endothelium. *S. K. Lo, T. J. Ryan, N. Gilboa, L. Lai, and A. B. Malik* 793

Effects of estrogen on low density lipoprotein metabolism in males. Short-term and long-term studies during hormonal treatment of prostatic carcinoma. *M. Eriksson, L. Berglund, M. Rudling, P. Henriksson, and B. Angelin* 802

Estrogen-induced gallstone formation in males. Relation to changes in serum and biliary lipids during hormonal treatment of prostatic carcinoma. *P. Henriksson, K. Einarsson, A. Eriksson, U. Kelter, and B. Angelin* 811

Coregulation of calcium channels and beta-adrenergic receptors in cultured chick embryo ventricular cells. *J. D. Marsh* 817

Platelet receptor–mediated Factor X activation by Factor IXa. High-affinity Factor IXa receptors induced by Factor VIII are deficient on platelets in Scott syndrome. *S. S. Ahmad, R. Rawala-Sheikh, B. Ashby, and P. N. Walsh* . . 824

Autonomous growth of a human neuroblastoma cell line is mediated by insulin-like growth factor II. *O. M. El-Badry, J. A. Romanus, L. J. Helman, M. J. Cooper, M. M. Rechler, and M. A. Israel* 829

Role of receptor cycling in the regulation of angiotensin II surface receptor number and angiotensin II uptake in rat vascular smooth muscle cells. *M. E. Ullian and S. L. Linas* 840

Immunohistochemical localization of low density lipoprotein receptors in adrenal gland, liver, and intestine. *L. G. Fong, E. Bonney, J. C. Kosek, and A. D. Cooper* . . 847

A physiologic role for somatostatin 28 as a regulator of insulin secretion. *D. A. D'Alessio, C. Sieber, C. Beglinger, and J. W. Ensinck* 857

Inhibition of tumor cell growth by interferon-γ is mediated by two distinct mechanisms dependent upon oxygen tension: induction of tryptophan degradation and depletion of intracellular nicotinamide adenine dinucleotide. *T. M. Aune and S. L. Pogue* 863

Extrahepatic obstructive cholestasis reverses the bile salt secretory polarity of rat hepatocytes. *G. Fricker, L. Landmann, and P. J. Meier* 876

Receptor-mediated phagocytosis in human neutrophils is associated with increased formation of inositol phosphates and diacylglycerol. Elevation in cytosolic free calcium and formation of inositol phosphates can be dissociated from accumulation of diacylglycerol. *M. Fällman, D. P. Lew, O. Stendahl, and T. Andersson* 886

Correction of chronic hyperglycemia with vanadate, but not with phlorizin, normalizes in vivo glycogen repletion and in vitro glycogen synthase activity in diabetic skeletal muscle. *L. Rossetti and M. R. Laughlin* 892

Cigarette smoke induces bronchoconstrictor hyperresponsiveness to substance P and inactivates airway neutral endopeptidase in the guinea pig. Possible role of free radicals. *D. J. Dusser, T. D. Djokic, D. B. Borson, and J. A. Nadel* 900

Murine antiidiotypic monoclonal antibodies that bear the internal image of HLA-DR allospecificities. *F. Perosa and S. Ferrone* 907

Biochemical analysis of callus tissue in osteogenesis imperfecta type IV. Evidence for transient overmodification in collagen types I and III. *R. E. Brenner, U. Vetter, A. Nerlich, O. Wörsdorfer, W. M. Teller, and P. K. Müller* 915

Outcome of the acute glomerular injury in proliferative lupus nephritis. *A. Chagnac, B. A. Kiberd, M. C. Fariñas, S. Strober, R. K. Sibley, R. Hoppe, and B. D. Myers* . . . 922

Renal bicarbonate reabsorption in the rat. III. Distal tubule perfusion study of load dependence and bicarbonate permeability. *Y. L. Chan, G. Malnic, and G. Giebisch* 931

RGDV peptide selectively inkhibits platelet-dependent thrombus formation in vivo. Studies using a baboon model. *Y. Cadroy, R. A. Houghten, and S. R. Hanson* . . 939

Cl^- secretion induced by bile salts. A study of the mechanism of action based on a cultured colonic epithelial cell line. *K. Dharmsathaphorn, P. A. Huott, P. Vongkovit, G. Beuerlein, S. J. Pandol, and H. V. Ammon* 945

Two common low density lipoprotein receptor gene mutations cause familial hypercholesterolemia in Afrikaners. *E. Leitersdorf, D. R. Van Der Westhuyzen, G. A. Coetzee, and H. H. Hobbs* 954

In vivo handling of soluble complement fixing Ab/dsDNA immune complexes in chimpanzees. *R. P. Kimberly, J. C. Edberg, L. T. Merriam, S. B. Clarkson, J. C. Unkeless, and R. P. Taylor* 962

Use of mouse anti-rabies monoclonal antibodies in postexposure treatment of rabies. *C. L. Schumacher, B. Dietzschold, H. C. J. Ertl, H.-S. Niu, C. E. Rupprecht, and H. Koprowski* 971

Hepatic phosphotyrosine phosphatase activity and its alterations in diabetic rats. *J. Meyerovitch, J. M. Backer, and C. R. Kahn* 976

Familial bone marrow monosomy 7. Evidence that the predisposing locus in not on the long arm of chromosome 7. *K. M. Shannon, A. G. Turhan, S. S. Y. Chang, A. M. Bowcock, P. C. J. Rogers, W. L. Carroll, M. J. Cowan, B. E. Glader, C. J. Eaves, A. C. Eaves, and Y. W. Kan* . . 984

Adenosine triphosphate turnover in humans. Decreased degradation during relative hyperphosphatemia. *M. A. Johnson, K. Tekkanat, S. P. Schmaltz, and I. H. Fox* . . 990

Regulation of rabbit medullary collecting duct cell pH by basolateral Na^+/H^+ and Cl^-/base exchange. *M. D. Breyer and H. R. Jacobson* 996

Pressure-induced connective tissue synthesis in pulmonary artery segments is dependent on intact endothelium. *C. A. Tozzi, G. J. Poiani, A. M. Harangozo, C. D. Boyd, and D. J. Riley* 1005

Clustering of multiallele DNA markers near the Huntington's disease gene. *M. E. MacDonald, S. V. Cheng, M. Zimmer, J. L. Haines, A. Pousika, B. Allitto, B. Smith, W. L. Whaley, D. M. Romano, J. Jagadeesh, R. H. Myers, H. Lehrach, J. J. Wasmuth, A.-M. Frischauf, and J. F. Gusella* 1013

Localization of transforming growth factor α and its receptor in gastric mucosal cells. Implications for a regulatory role in acid secretion and mucosal renewal. *R. D. Beauchamp, J. A. Barnard, C. M. McCutchen, J. A. Cherner, and R. J. Coffey, Jr.* 1017

Molecular analysis of a female Lesch-Nyhan patient. *N. Ogasawara, J. T. Stout, H. Goto, S.-I. Sonta, A. Matsumoto, and C. T. Caskey* 1024

Rapid Publications

Idiotypic sensitization in utero of children born to mothers with schistosomiasis or Chagas' disease. *S. M. Eloi-Santos, E. Novato-Silva, V. M. Maselli, G. Gazzinelli, D. G. Colley, and R. Correa-Oliveira* 1028

Endothelin binding to cultured calf adrenal zone glomerulosa cells and stimulation of aldosterone secretion. *E. N. Cozza, C. E. Gomez-Sanchez, M. F. Foecking, and S. Chiou* 1032

Platelet isoforms of platelet-derived growth factor stimulate fibroblasts to contract collagen matrices. *R. A. F. Clark, J. M. Folkvord, C. E. Hart, M. J. Murray, and J. M. McPherson* 1036

September Author Index 1041

Correction 1043

Contents

The Journal of Clinical Investigation
October 1989, Volume 84, Number 4

Perspectives

Neutrophil-activating peptide-1/interleukin 8, a novel cytokine that activates neutrophils. *M. Baggiolini, A. Walz, and S. L. Kunkel* 1045

Regular Articles

Production of human monoclonal anti–basement membrane zone (BMZ) antibodies from a patient with bullous pemphigoid (BP) by Epstein-Barr virus transformation. Analyses of the heterogeneity of anti-BMZ antibodies in BP sera using them. *T. Sugi, T. Hashimoto, T. Hibi, and T. Nishikawa* 1050

Studies of osmotic diarrhea induced in normal subjects by ingestion of polyethylene glycol and lactulose. *H. F. Hammer, C. A. Santa Ana, L. R. Schiller, and J. S. Fordtran* 1056

Biochemical and clinical response of fulminant viral hepatitis to administration of prostaglandin E. A preliminary report. *S. B. Sinclair, P. D. Greig, L. M. Blendis, M. Abecassis, E. A. Roberts, M. J. Phillips, R. Cameron, and G. A. Levy* 1063

Humoral immune response to influenza vaccination in patients with primary immunoglobulin A nephropathy. An analysis of isotype distribution and size of the influenza-specific antibodies. *A. W. L. van den Wall Bake, W. E. P. Beyer, J. H. Evers-Schouten, J. Hermans, M. R. Daha, N. Masurel, and L. A. van Es* 1070

Lipocytes from normal rat liver release a neutral metalloproteinase that degrades basement membrane (type IV) collagen. *M. J. P. Arthur, S. L. Friedman, F. J. Roll, and D. M. Bissell* 1076

Evidence for the presence of oxidatively modified low density lipoprotein in atherosclerotic lesions of rabbit and man. *S. Ylä-Herttuala, W. Palinski, M. E. Rosenfeld, S. Parthasarathy, T. E. Carew, S. Butler, J. L. Witztum, and D. Steinberg* 1086

Binding of thrombin to subendothelial extracellular matrix. Protection and expression of functional properties. *R. Bar-Shavit, A. Eldor, and I. Vlodavsky* 1096

Increased levels of bombesin-like peptides in the lower respiratory tract of asymptomatic cigarette smokers. *S. M. Aguayo, M. A. Kane, T. E. King, Jr., M. I. Schwarz, L. Grauer, and Y. E. Miller* 1105

Immune response to B19 parvovirus and an antibody defect in persistent viral infection. *G. J. Kurtzman, B. J. Cohen, A. M. Field, R. Oseas, R. M. Blaese, and N. S. Young* 1114

Effects of insulin and exercise on muscle lipoprotein lipase activity in man and its relation to insulin action. *B. Kiens, H. Lithell, K. J. Mikines, and E. A. Richter* 1124

Rat renal epinephrine synthesis. *M. G. Ziegler, B. Kennedy, and H. Elayan* 1130

Mechanisms of arterial thrombosis in nonparallel streamlines: platelet thrombi grow on the apex of stenotic severely injured vessel wall. Experimental study in the pig model. *L. Badimon and J. J. Badimon* 1134

Pulmonary deposition and clearance of aerosolized alpha-1-proteinase inhibitor administered to dogs and to sheep. *R. M. Smith, L. D. Traber, D. L. Traber, and R. G. Spragg* 1145

Plasma binding and transport of diazepam across the blood-brain barrier. No evidence for in vivo enhanced dissociation. *R. K. Dubey, C. B. McAllister, M. Inoue, and G. R. Wilkinson* 1155

Erythropoietin in polycystic kidneys. *K.-U. Eckardt, M. Möllmann, R. Neumann, R. Brunkhorst, H.-U. Burger, G. Lonnemann, H. Scholz, G. Keusch, B. Buchholz, U. Frei, C. Bauer, and A. Kurtz* 1160

Carnitine and acylcarnitine metabolism during exercise in humans. Dependence on skeletal muscle metabolic state. *W. R. Hiatt, J. G. Regensteiner, E. E. Wolfel, L. Ruff, and E. P. Brass* 1167

Molecular mimicry and myasthenia gravis. An autoantigenic site of the acetylcholine receptor α-subunit that has biologic activity and reacts immunochemically with herpes simplex virus. *P. L. Schwimmbeck, T. Dyrberg, D. B. Drachman, and M. B. A. Oldstone* 1174

Inappropriate hepatic cholesterol synthesis expands the cellular pool of sterol available for recruitment by bile acids in the rat. *L. E. Bilhartz, D. K. Spady, and J. M. Dietschy* 1181

Cloning and characterization of complementary DNA for human tryptase. *J. S. Miller, E. H. Westin, and L. B. Schwartz* 1188

Adhesion molecules of cultured hematopoietic malignancies. A calcium-dependent lectin is the principle mediator of binding to the high endothelial venule of lymph nodes. *L. M. Stoolman and H. Ebling* 1196

Osteogenesis imperfecta. The position of substitution for glycine by cysteine in the triple helical domain of the Proα1(I) chains of type I collagen determines the clinical phenotype. *B. J. Starman, D. Eyre, H. Charbonneau, M. Harrylock, M. A. Weis, L. Weiss, J. M. Graham, Jr., and P. H. Byers* 1206

A nonsense mutation in the apolipoprotein C-II$_{Padova}$ gene in a patient with apolipoprotein C-II deficiency. *S. S. Fojo, P. Lohse, C. Parrott, G. Baggio, C. Gabelli, F. Thomas, J. Hoffman, and H. B. Brewer, Jr.* 1215

Effects of a novel cholecystokinin (CCK) receptor antagonist, MK-329, on gallbladder contraction and gastric emptying in humans. Implications for the physiology of CCK. *R. A. Liddle, B. J. Gertz, S. Kanayama, L. Beccaria, L. D. Coker, T. A. Turnbull, and E. T. Morita* 1220

Plasma fibronectin synthesis in normal and injured humans as determined by stable isotope incorporation. *C. Thompson, F. A. Blumenstock, T. M. Saba, P. J. Feustel, J. E. Kaplan, J. B. Fortune, L. Hough, and V. Gray* 1226

Molecular characterization of antithrombin III (ATIII) variants using polymerase chain reaction. Identification of the ATIII Charleville as an Ala 384 Pro mutation. *P. Molho-Sabatier, M. Aiach, I. Gaillard, J.-N. Fiessinger, A.-M. Fischer, G. Chadeuf, and E. Clauser* 1236

Sequence and exon–intron organization of the DNA encoding the αI domain of human spectrin. Application to the study of mutations causing hereditary elliptocytosis. *K. E. Sahr, T. Tobe, A. Scarpa, K. Laughinghouse, S. L. Marchesi, P. Agre, A. J. Linnenbach, V. T. Marchesi, and B. G. Forget* . . 1243

Tumor necrosis factor in mediating experimental *Haemophilus influenzae* type B meningitis. *M. M. Mustafa, O. Ramilo, K. D. Olsen, P. S. Franklin, E. J. Hansen, B. Beutler, and G. H. McCracken, Jr.* . . 1253

Pancreatic duct obstruction in rabbits causes digestive zymogen and lysosomal enzyme colocalization. *A. Saluja, M. Saluja, A. Villa, U. Leli, P. Rutledge, J. Meldolesi, and M. Steer* 1260

Decreased adrenergic neuronal uptake activity in experimental right heart failure. A chamber-specific contributor to beta-adrenoceptor downregulation. *C.-s. Liang, T.-H. M. Fan, J. T. Sullebarger, and S. Sakamoto* 1267

Substance P-induced augmentation of cutaneous vascular permeability and granulocyte infiltration in mice is mast cell dependent. *H. Yano, B. K. Wershil, N. Arizono, and S. J. Galli* 1276

Arrest of epidermal growth factor-dependent growth in fetal hepatocytes after ethanol exposure. *G. I. Henderson, G. S. Baskin, J. Horbach, P. Porter, and S. Schenker* . 1287

Perinatal changes in lung surfactant calcium measured in situ. *R. G. Eckenhoff* 1295

Complement receptor expression on neutrophils at an inflammatory site, the *Pseudomonas*-infected lung in cystic fibrosis. *M. Berger, R. U. Sorensen, M. F. Tosi, D. G. Dearborn, and G. Döring* 1302

The preS1 antigen of hepatitis B virus is highly immunogenic at the T cell level in man. *C. Ferrari, A. Penna, A. Bertoletti, A. Cavalli, A. Valli, C. Schianchi, and F. Fiaccadori* 1314

Uptake of plasma fibrinogen into the alpha granules of human megakaryocytes and platelets. *P. Harrison, B. Wilbourn, N. Debili, W. Vainchenker, J. Breton-Gorius, A. S. Lawrie, J.-M. Masse, G. F. Savidge, and E. M. Cramer* 1320

At physiologic albumin/oleate concentrations oleate uptake by isolated hepatocytes, cardiac myocytes, and adipocytes is a saturable function of the unbound oleate concentration. Uptake kinetics are consistent with the conventional theory. *D. Sorrentino, R. B. Robinson, C.-L. Kiang, and P. D. Berk* 1325

Rapid Publications

Ischemia-induced loss of epithelial polarity. Role of the tight junction. *B. A. Molitoris, S. A. Falk, and R. H. Dahl* 1334

Erythropoietin receptors in polycythemia vera. *R. T. Means, Jr., S. B. Krantz, S. T. Sawyer, and H. S. Gilbert* 1340

Recombinant human tumor necrosis factor α suppresses autoimmune diabetes in nonobese diabetic mice. *J. Satoh, H. Seino, T. Abo, S.-i. Tanaka, S. Shintani, S. Ohta, K. Tamura, T. Sawai, T. Nobunaga, T. Oteki, K. Kumagai, and T. Toyota* 1345

Recombinant DNA–produced α1-antitrypsin administered by aerosol augments lower respiratory tract antineutrophil elastase defenses in individuals with α1-antitrypsin deficiency. *R. C. Hubbard, N. G. McElvaney, S. E. Sellers, J. T. Healy, D. B. Czerski, and R. G. Crystal* 1349

Intestinal surfactant-like material. A novel secretory product of the rat enterocyte. *K. DeSchryver-Kecskemeti, R. Eliakim, S. Carroll, W. F. Stenson, M. A. Moxley, and D. H. Alpers* 1355

Acute iron poisoning. Rescue with macromolecular chelators. *J. R. Mahoney, Jr., P. E. Hallaway, B. E. Hedlund, and J. W. Eaton* 1362

Rapid identification of low level hepatitis B-related viral genome in serum. *T. J. Liang, K. J. Isselbacher, and J. R. Wands* 1367

October Author Index 1372

Contents

The Journal of Clinical Investigation
November 1989, Volume 84, Number 5

Perspectives

Endothelium-dependent vascular responses. Mediators and mechanisms. *B. M. Brenner, J. L. Troy, and B. J. Ballermann* 1373

Regular Articles

Regulation of the cytoplasmic accumulation of 5-methyltetrahydrofolate in MA104 cells is independent of folate receptor regulation. *B. A. Kamen, C. A. Johnson, M.-T. Wang, and R. G. W. Anderson* 1379

Relationship between the membrane inhibitor of reactive lysis and the erythrocyte phenotypes of paroxysmal nocturnal hemoglobinuria. *M. H. Holguin, L. A. Wilcox, N. J. Bernshaw, W. F. Rosse, and C. J. Parker* 1387

Human neutrophil gelatinase is a component of specific granules. *M. S. Hibbs and D. F. Bainton* 1395

Sympathetic response to oral carbohydrate administration. Evidence from microelectrode nerve recordings. *C. Berne, J. Fagius, and F. Niklasson* . . . 1403

Biochemical basis of synergy between antigen and T helper (T_h) cell–mediated activation of resting human B cells. *E. K. Chartash, M. K. Crow, and S. M. Friedman* 1410

Blockade of the type I somatomedin receptor inhibits growth of human breast cancer cells in athymic mice. *C. L. Arteaga, L. J. Kitten, E. B. Coronado, S. Jacobs, F. C. Kull, Jr., D. C. Allred, and C. K. Osborne* 1418

Chloride secretory response of cystic fibrosis human airway epithelia. Preservation of calcium but not protein kinase C– and A–dependent mechanisms. *R. C. Boucher, E. H. C. Cheng, A. M. Paradiso, M. J. Stutts, M. R. Knowles, and H. S. Earp* 1424

Cartilage matrix glycoprotein is present in serum in experimental canine osteoarthritis. *R. S. Fife and K. D. Brandt* 1432

A patient with platelets deficient in glycoprotein VI that lack both collagen-induced aggregation and adhesion. *M. Moroi, S. M. Jung, M. Okuma, and K. Shinmyozu* 1440

A regiospecific monooxygenase with novel stereopreference is the major pathway for arachidonic acid oxygenation in isolated epidermal cells. *M. J. Holtzman, J. Turk, and A. Pentland* 1446

Sequential bcl-2 and c-*myc* oncogene rearrangements associated with the clinical transformation of non-Hodgkin's lymphoma. *J. T. Lee, D. J. Innes, Jr., and M. E. Williams* 1454

Augmented bicarbonate reabsorption by both the proximal and distal nephron maintains chloride-deplete metabolic alkalosis in rats. *D. E. Wesson* 1460

Tumor vascular permeability factor stimulates endothelial cell growth and angiogenesis. *D. T. Connolly, D. M. Heuvelman, R. Nelson, J. V. Olander, B. L. Eppley, J. J. Delfino, N. R. Siegel, R. M. Leimgruber, and J. Feder* 1470

Sulfated beef insulin treatment elicits $CD8^+$ T cells that may abrogate immunologic insulin resistance in type I diabetes. *P. Naquet, J. Ellis, A. Kenshole, J. W. Semple, and T. L. Delovitch* 1479

Long-term exposure to retrovirally expressed granulocyte-colony–stimulating factor induces a nonneoplastic granulocytic and progenitor cell hyperplasia without tissue damage in mice. *J. M. Chang, D. Metcalf, T. J. Gonda, and G. R. Johnson* 1488

Extraadrenal steroid 21-hydroxylation is not mediated by P450c21. *S. H. Mellon and W. L. Miller* 1497

Direct method for detecting small quantities of hepatitis B virus DNA in serum and plasma using the polymerase chain reaction. *J. B. Zeldis, J. H. Lee, D. Mamish, D. J. Finegold, R. Sircar, Q. Ling, P. J. Knudsen, I. K. Kuramoto, and L. T. Mimms* 1503

Pathogenesis of Shigella diarrhea. XVI. Selective targetting of Shiga toxin to villus cells of rabbit jejunum explains the effect of the toxin on intestinal electrolyte transport. *G. Kandel, A. Donohue-Rolfe, M. Donowitz, and G. T. Keusch* 1509

Phagocytosis of aged human neutrophils by macrophages is mediated by a novel "charge-sensitive" recognition mechanism. *J. S. Savill, P. M. Henson, and C. Haslett* . 1518

Pathophysiology of rhinitis. Lactoferrin and lysozyme in nasal secretions. *G. D. Raphael, E. V. Jeney, J. N. Baraniuk, I. Kim, S. D. Meredith, and M. A. Kaliner* 1528

Prostaglandin E_2 production by dispersed canine fundic mucosal cells. Contribution of macrophages and endothelial cells as major sources. *M. C. Chen, M. J. Sanders, D. A. Amirian, L. P. Thomas, G. Kauffman, and A. H. Soll* 1536

Tolerance induced by physiological levels of secreted proteins in transgenic mice expressing human insulin. *P. J. Whiteley, J. P. Lake, R. F. Selden, and J. A. Kapp* 1550

Synthesis of stress proteins is increased in individuals with homozygous PiZZ α_1-antitrypsin deficiency and liver disease. *D. H. Perlmutter, M. J. Schlesinger, J. A. Pierce, P. I. Punsal, and A. L. Schwartz* 1555

Hepatocellular copper toxicity and its attenuation by zinc. *M. L. Schilsky, R. R. Blank, M. J. Czaja, M. A. Zern, I. H. Scheinberg, R. J. Stockert, and I. Sternlieb* 1562

Epidermal growth factor receptor defects in leprechaunism. A multiple growth factor–resistant syndrome. *S. S.-K. Reddy and C. R. Kahn* 1569

Wegener's granulomatosis autoantibodies identify a novel diisopropylfluorophosphate-binding protein in the lysosomes of normal human neutrophils. *R. Goldschmeding, C. E. van der Schoot, D. ten Bokkel Huinink, C. E. Hack, M. E. van den Ende, C. G. M. Kallenberg, and A. E. G. Kr. von dem Borne* 1577

Bacterial cell surface hydrophobicity properties in the mediation of in vitro adhesion by the rabbit enteric pathogen *Escherichia coli* strain RDEC-1. *B. Drumm, A. W. Neumann, Z. Policova, and P. M. Sherman* . . . 1588

Detection and characterization of human high molecular weight B cell growth factor receptors on leukemic B cells in chronic lymphocytic leukemia. *F. M. Uckun, A. S. Fauci, M. Chandan-Langlie, D. E. Myers, and J. L. Ambrus* 1595

Effects of leukotriene B_4 in the human lung. Recruitment of neutrophils into the alveolar spaces without a change in protein permeability. *T. R. Martin, B. P. Pistorese, E. Y. Chi, R. B. Goodman, and M. A. Matthay* 1609

Insulin transport across capillaries is rate limiting for insulin action in dogs. *Y. J. Yang, I. D. Hope, M. Ader, and R. N. Bergman* 1620

Marked QRS complex abnormalities and sodium channel blockade by propoxyphene reversed with lidocaine. *D. C. Whitcomb, F. R. Gilliam III, C. F. Starmer, and A. O. Grant* 1629

Most $CD4^+$ T cells from human immunodeficiency virus-1–infected patients can undergo prolonged clonal expansion. *E. Langhoff, J. McElrath, H. J. Bos, J. Pruett, A. Granelli-Piperno, Z. A. Cohn, and R. M. Steinman* 1637

Damage to the bases in DNA induced by stimulated human neutrophils. *J. H. Jackson, E. Gajewski, I. U. Schraufstatter, P. A. Hyslop, A. F. Fuciarelli, C. G. Cochrane, and M. Dizdaroglu* 1644

Alterations in 3,3′,5′-triiodothyronine metabolism in response to propylthiouracil, dexamethasone, and thyroxine administration in man. *J. S. LoPresti, A. Eigen, E. Kaptein, K. P. Anderson, C. A. Spencer, and J. T. Nicoloff* 1650

Synovial procollagenase activation by human mast cell tryptase dependence upon matrix metalloproteinase 3 activation. *B. L. Gruber, M. J. Marchese, K. Suzuki, L. B. Schwartz, Y. Okada, H. Nagase, and N. S. Ramamurthy* 1657

Promoting effect of glucocorticoids on the differentiation of human adipocyte precursor cells cultured in a chemically defined medium. *H. Hauner, G. Entenmann, M. Wabitsch, D. Gaillard, G. Ailhaud, R. Negrel, and E. F. Pfeiffer* 1663

Rapid Publications

Short chain acyl-coenzyme A dehydrogenase (SCAD) deficiency. Immunochemical demonstration of molecular heterogeneity due to variant SCAD with differing stability. *E. Naito, Y. Indo, and K. Tanaka* 1671

A natural autoantibody is encoded by germline heavy and lambda light chain variable region genes without somatic mutation. *K. A. Siminovitch, V. Misener, P. C. Kwong, Q.-L. Song, and P. P. Chen* 1675

Disulfide-linked γδ T cell antigen receptors expressed on T cells derived from patients with primary immunodeficiency disorders. *H. Seki, M. Nanno, N. K. Day, R. A. Good, and C. D. Platsoucas* 1679

Expression of the *erbA-β* class of thyroid hormone receptors is selectively lost in human colon carcinoma. *S. Markowitz, M. Haut, T. Stellato, C. Gerbic, and K. Molkentin* 1683

Sequences of complementary DNAs that encode the NA1 and NA2 forms of Fc receptor III on human neutrophils. *P. A. Ory, M. R. Clark, E. E. Kwoh, S. B. Clarkson, and I. M. Goldstein* 1688

November Author Index 1692

Contents

The Journal of Clinical Investigation
December 1989, Volume 84, Number 6

Perspectives

Molecular basis of cardiac performance. Plasticity of the myocardium generated through protein isoform switches. *B. Nadal-Ginard and V. Mahdavi* 1693

Regular Articles

Regulation of interleukin 3 gene induction in normal human T cells. *S. C. Guba, G. Stella, L. A. Turka, C. H. June, C. B. Thompson, and S. G. Emerson* . . . 1701

Synthesis of a novel cytokine and its gene (LD78) expressions in hematopoietic fresh tumor cells and cell lines. *Y. Yamamura, T. Hattori, K. Obaru, K. Sakai, N. Asou, K. Takatsuki, Y. Ohmoto, H. Nomiyama, and K. Shimada* 1707

The reactivity of desmosterol and other shellfish- and xanthomatosis-associated sterols in the macrophage sterol esterification reaction. *I. Tabas, S. J. Feinmark, and N. Beatini* 1713

Apolipoprotein A-I variants. Naturally occurring substitutions of proline residues affect plasma concentration of apolipoprotein A-I. *A. von Eckardstein, H. Funke, A. Henke, K. Altland, A. Benninghoven, and G. Assmann* 1722

Transin/stromelysin expression in the synovium of rats with experimental erosive arthritis. In situ localization and kinetics of expression of the transformation-associated metalloproteinase in euthymic and athymic Lewis rats. *J. P. Case, H. Sano, R. Lafyatis, E. F. Remmers, G. K. Kumkumian, and R. L. Wilder* 1731

Chronic norepinephrine elicits desensitization by uncoupling the β-receptor. *D. E. Vatner, S. F. Vatner, J. Nejima, N. Uemura, E. E. Susanni, T. H. Hintze, and C. J. Homcy* 1741

Genetic and environmental factors that regulate cytosolic epoxide hydrolase activity in normal human lymphocytes. *K. K. Norris, T. M. DeAngelo, and E. S. Vesell* 1749

Epidermal growth factor enhances renal tubule cell regeneration and repair and accelerates the recovery of renal function in postischemic acute renal failure. *H. D. Humes, D. A. Cieslinski, T. M. Coimbra, J. M. Messana, and C. Galvao* 1757

An arginine to glutamine mutation in residue 109 of human ornithine transcarbamylase completely abolishes enzymatic activity in Cos1 cells. *J. T. Lee and R. L. Nussbaum* 1762

Induction of hypertrophy in cultured proximal tubule cells by extracellular NH_4Cl. *K. Golchini, J. Norman, R. Bohman, and I. Kurtz* 1767

Activation of cultured rat hepatic lipocytes by Kupffer cell conditioned medium. Direct enhancement of matrix synthesis and stimulation of cell proliferation via induction of platelet-derived growth factor receptors. *S. L. Friedman and M. J. P. Arthur* 1780

Effects of platelet-derived growth factor and other polypeptide mitogens on DNA synthesis and growth of cultured rat liver fat-storing cells. *M. Pinzani, L. Gesualdo, G. M. Sabbah, and H. E. Abboud* 1786

Nonopsonic antibodies in cystic fibrosis. *Pseudomonas aeruginosa* lipopolysaccharide-specific immunoglobulin G antibodies from infected patient sera inhibit neutrophil oxidative responses. *I. Eichler, L. Joris, Y.-P. Hsu, J. Van Wye, R. Bram, and R. Moss* 1794

Cytochrome P450 metabolites of arachidonic acid are potent inhibitors of vasopressin action on rabbit cortical collecting duct. *D. L. Hirt, J. Capdevila, J. R. Falck, M. D. Breyer, and H. R. Jacobson* 1805

Macrophage/monocyte receptor for nonenzymatically glycosylated proteins is upregulated by cachectin/tumor necrosis factor. *H. Vlassara, L. Moldawer, and B. Chan* 1813

Human mannose-binding protein activates the alternative complement pathway and enhances serum bactericidal activity on a mannose-rich isolate of salmonella. *J. E. Schweinle, R. A. B. Ezekowitz, A. J. Tenner, M. Kuhlman, and K. A. Joiner* 1821

Defective in vitro production of γ-interferon and tumor necrosis factor-α by circulating T cells from patients with the hyper-immunoglobulin E syndrome. *G. Del Prete, A. Tiri, E. Maggi, M. De Carli, D. Macchia, P. Parronchi, M. E. Rossi, M. C. Pietrogrande, M. Ricci, and S. Romagnani* 1830

Coordinate regulation of transforming growth factor β gene expression and cell proliferation in hamster lungs undergoing bleomycin-induced pulmonary fibrosis. *R. Raghow, P. Irish, and A. H. Kang* 1836

Developmental and hormonal regulation of glucocorticoid receptor messenger RNA in the rat. *J. E. Kalinyak, C. A. Griffin, R. W. Hamilton, J. G. Bradshaw, A. J. Perlman, and A. R. Hoffman* . . 1843

Defective dopamine-1 receptor adenylate cyclase coupling in the proximal convoluted tubule from the spontaneously hypertensive rat. *S. Kinoshita, A. Sidhu, and R. A. Felder* 1849

Ovarian failure and autoimmunity. Detection of autoantibodies directed against both the unoccupied luteinizing hormone/human chorionic gonadotropin receptor and the hormone-receptor complex of bovine corpus luteum. *H. Moncayo, R. Moncayo, R. Benz, A. Wolf, and Ch. Lauritzen* 1857

Ambient Cl^- ions modify rat mesangial cell contraction by modulating cell inositol trisphosphate and Ca^{2+} via enhanced prostaglandin E2. *T. Okuda, I. Kojima, E. Ogata, and K. Kurokawa* 1866

Tumor necrosis factor participates in the pathogenesis of acute immune complex alveolitis in the rat. *J. S. Warren, K. R. Yabroff, D. G. Remick, S. L. Kunkel, S. W. Chensue, R. G. Kunkel, K. J. Johnson, and P. A. Ward* 1873

Distinct platelet thromboxane A_2/prostaglandin H_2 receptor subtypes. A radioligand binding study of human platelets. *G. W. Dorn II* 1883

Detection of three distinct patterns of T helper cell dysfunction in asymptomatic, human immunodeficiency virus–seropositive patients. Independence of $CD4^+$ cell numbers and clinical staging. *M. Clerici, N. I. Stocks, R. A. Zajac, R. N. Boswell, D. R. Lucey, C. S. Via, and G. M. Shearer* 1892

Quantitative contribution of systemic vascular autoregulation in acute hypertension in conscious dogs. *P. J. Metting, K. A. Kostrzewski, P. M. Stein, B. A. Stoos, and S. L. Britton* 1900

High receptor binding affinity of lipoproteins in atypical dysbetalipoproteinemia (type III hyperlipoproteinemia). *D. A. Chappell* 1906

Localization of integrin receptors for fibronectin, collagen, and laminin in human skin. Variable expression in basal and squamous cell carcinomas. *J. Peltonen, H. Larjava, S. Jaakkola, H. Gralnick, S. K. Akiyama, S. S. Yamada, K. M. Yamada, and J. Uitto* 1916

Regulation of active sodium and potassium transport in the distal colon of the rat. Role of the aldosterone and glucocorticoid receptors. *S. G. Turnamian and H. J. Binder* 1924

Identification and characterization of a monocyte-derived neutrophil-activating factor in corticosteroid-resistant bronchial asthma. *J. R. W. Wilkinson, A. E. G. Crea, T. J. H. Clark, and T. H. Lee* 1930

Identification of a satellite fatty acid ethyl ester synthase from human myocardium as a glutathione S-transferase. *P. S. Bora, C. A. Spilburg, and L. G. Lange* 1942

Intestinal graft-versus-host disease is initiated by donor T cells distinct from classic cytotoxic T lymphocytes. *D. L. Thiele, M. L. Eigenbrodt, S. E. Bryde, E. H. Eigenbrodt, and P. E. Lipsky* 1947

Complete and partial deficiencies of complement factor D in a Dutch family. *P. S. Hiemstra, E. Langeler, B. Compier, Y. Keepers, P. C. J. Leijh, M. Th. van den Barselaar, D. Overbosch, and M. R. Daha* 1957

Role of endogenous atrial natriuretic factor in acute congestive heart failure. *M. E. Lee, W. L. Miller, B. S. Edwards, and J. C. Burnett, Jr.* 1962

Glomerular hemodynamics in established glycerol-induced acute renal failure in the rat. *A. I. Wolfert and D. E. Oken* 1967

Mechanism of therapeutic effect of high-dose intravenous immunoglobulin. Attenuation of acute, complement-dependent immune damage in a guinea pig model. *M. Basta, P. Kirshbom, M. M. Frank, and L. F. Fries* 1974

Complement component C1q enhances invasion of human mononuclear phagocytes and fibroblasts by *Trypanosoma cruzi* trypomastigotes. *M. T. Rimoldi, A. J. Tenner, D. A. Bobak, and K. A. Joiner* 1982

Isolation of an acidic protein from cholesterol gallstones, which inhibits the precipitation of calcium carbonate in vitro. *S. Shimizu, B. Sabsay, A. Veis, J. D. Ostrow, R. V. Rege, and L. G. Dawes* 1990

Placental corticotropin-releasing hormone may be a stimulator of maternal pituitary adrenocorticotropic hormone secretion in humans. *A. Sasaki, O. Shinkawa, and K. Yoshinaga* 1997

Rapid Publications

Activation of normal and cystic fibrosis Cl^- channels by voltage, temperature, and trypsin. *M. J. Welsh, M. Li, and J. D. McCann* 2002

Serum levels of interleukin 6, a potent myeloma cell growth factor, as a reflect of disease severity in plasma cell dyscrasias. *R. Bataille, M. Jourdan, X.-G. Zhang, and B. Klein* 2008

A missense mutation in the neutrophil cytochrome *b* heavy chain in cytochrome-positive X-linked chronic granulomatous disease. *M. C. Dinauer, J. T. Curnutte, H. Rosen, and S. H. Orkin* 2012

Monocyte-chemotactic activity of defensins from human neutrophils. *M. C. Territo, T. Ganz, M. E. Selsted, and R. Lehrer* 2017

Plasma Lp(a) concentration is inversely correlated with the ratio of Kringle IV/Kringle V encoding domains in the apo(a) gene. *D. Gavish, N. Azrolan, and J. L. Breslow* 2021

December Author Index 2028

Correction 2029

Author Index to Volume 84 2031